3l-¤õï Ý· *`‡F0m $ Ý× =—ÖÀÐ *—ë-¸À -ëï

A Community Survey from
the University of Pittsburgh

July 2020

ABOUT THE NATIONAL REHABILITATION RESEARCH AND TRAINING CENTER ON FAMILY SUPPORT

The National Rehabilitation Research and Training Center on Family Support at the University of Pittsburgh partners with government, academia and the broad family support stakeholder community to translate state-of-the-art research and training into services and support programs to improve the care, health and quality of life of all persons with disabilities and the families who support them.

The center activities advance the science of caregiving for persons with disabilities while simultaneously disseminating existing evidence-based resources to increase access to state-of-the-art family caregiver support. The center operates with a philosophy of engagement science, in which the research is grounded in addressing practical care delivery challenges through the intensive input of diverse stakeholders.

The goals of the center include:

-

Summary

A team of researchers from the National Rehabilitation Research and Training Center on Family Support and the University Center for Social and Urban Research at the University of

families and family caregivers. The survey, which was conducted between April 15 and May

interactions, health behaviors, and physical and mental health. This report summarizes the

caregivers compared to noncaregivers.

The COVID-19 pandemic has caused massive disruptions to society, with major impacts on employment, financial well-being and social relationships. The specific effects on family caregivers is unknown. Decades of research on family caregiving has shown that long-term and complex caregiving tasks often result in chronic stress for family caregivers which can lead to negative health outcomes for both the caregiver and care recipient. The COVID-19 pandemic has the potential to add to the complexity of caregiving given the stay-at-home requirements, reduced access to health care services, and the vulnerability of individuals at higher risk for severe side effects.

The following are key highlights from the findings and implications for policy:

- Family caregivers reported more negative effects from the pandemic than noncaregivers. They were more likely to report taking precautions and worries about getting themselves or the care recipient sick. They were also more likely than noncaregivers to be experiencing social isolation, anxiety and depression, fatigue, sleep disturbance, financial hardship and food insecurity.
- Family caregivers report that the pandemic has increased their caregiving responsibilities, and that providing care is more emotionally, physically, and financially difficult. This was largely due to interrupted access to care [both for themselves and their care recipient(s)], and the resulting lifestyle adjustments have led to the reported increases in worries, fear, depression, and anxiety.
- Female caregivers, minority caregivers, caregivers with less education, caregivers with lower income, younger caregivers, caregivers who care for persons with mental health/behavioral issues, and caregivers who live with the care recipient tended to report greater negative impacts of the pandemic.
- During this public health crisis, family caregivers should receive increased support and assistance, and be specifically targeted in policy discussions and intervention/ program planning.

Overview and Methodology

The COVID-19 pandemic has caused major impacts on employment, financial well-being, social relationships, and physical and mental health. This research focuses on the impacts of the pandemic on family caregiving. The term “family caregiver” refers to anyone who provides unpaid care to a spouse, parent, child, other relative, partner or friend who has a chronic illness or disability. Note that family caregiver is defined broadly—it includes relatives of an individual needing care, as well as friends and neighbors.

Decades of research on family caregiving have shown that the role can have negative psychological, social, physical and financial impacts on caregivers. The continuing demands and complex combination of caregiving tasks can result in chronic stress, which in turn can have negative effects on caregiver health and the ability to provide quality care to their loved one. The COVID-19 pandemic has the potential to add to the complexity and intensity of caregiving, and this study was an attempt to collect data on impacts of the pandemic on both family caregivers and a comparison sample of those not providing care. We also examine impacts of COVID-19 on caregiving duties and responsibilities, and the ability to provide quality care.

An online survey was conducted between April 15 and May 8 with UCSUR research registry members. This registry contains approximately 10,000 community members recruited through UCSUR surveys and research studies who have agreed to be contacted for future research studies. Studies used to recruit registry members employed a combination of probability and nonprobability sampling designs. Email addresses are available for approximately 80% of the registry members. Those without emails tend to be older, African American and less educated.

An initial email was sent to 7,989 registry members on April 15, 2020, inviting them to participate in the survey, with follow-up emails to nonrespondents sent on April 21, April 27 and May 2. The survey closed on May 8. This resulted in 3,113 responses for a 39% response rate. Responses were obtained from 435 family caregivers and 2,678 noncaregivers.

A subset of the UCSUR registry had previously indicated that they were family caregivers. In order to maximize caregiver response, we followed up directly via telephone with those indicated as caregivers who did not respond to the initial web survey invitation. We attempted to call 185 of

Summary: Final Samples

	Total	UCSUR web	UCSUR Phone	

Summary Results

This report focuses primarily on the results for the 619 family

The caregiving situation or context can be seen in the figure below.



The vast majority of family caregivers (93%) provided help with household tasks like shopping, managing finances, arranging for outside services or providing transportation. 35% provided help with personal care tasks such as bathing, dressing, grooming, eating, moving from bed to chair, or going to the toilet. 45% provided help with medical or nursing tasks such as managing medications, changing dressing on wounds or monitoring equipment like oxygen tanks.

Care recipients tended to have a wide variety of physical conditions (cancer, heart disease, stroke, renal failure, pulmonary/respiratory), cognitive disabilities, mental health conditions and injuries/accidents, as seen below.

These data are typical of previous caregiver samples.

PERCEIVED COVID-19 IMPACTS ON HEALTH AND FUNCTION

Family caregivers were more likely to perceive recent negative changes and impacts on health and function than noncaregivers. The following differences were observed:

When asked about more recent changes (within the previous week), participants responded

SOCIAL ISOLATION

While the effects were not as large, family caregivers also reported being more socially isolated than noncaregivers. Note that these are current perceptions and thus cannot be clearly attributed to the COVID-19 pandemic. The following differences ($p < .05$) were observed:



FINANCIAL IMPACTS AND CONCERNS; FOOD SECURITY

Family caregivers were much more likely to report financial impacts and worries due to the pandemic than their noncaregiver counterparts. This is the domain in which the most consistent differences were found. Note that the first two questions were framed as "in the last six months" to be consistent with other surveys, and thus these differences cannot unequivocally be attributed to the COVID-19 pandemic. However, the third item does indicate more food insecurity among caregivers since the outbreak. The following (all $p < .01$) were observed:



Anxiety [in the past 7 days]

The overall mean PROMIS anxiety score was 9.1 for caregivers and 8.3 for noncaregivers ($p < 0.05$).

The following individual PROMIS anxiety items differed significantly:



Depression [in the past 7 days]

The overall mean PROMIS depression score was 7.5 for caregivers and 7.1 for noncaregivers ($p < 0.01$).

The following individual PROMIS depression items differed significantly:

PHYSICAL SYMPTOMS: FATIGUE, SLEEP DISTURBANCE, PAIN INTERFERENCE

These were also measured using subscales for the Patient-Reported Outcomes Measurement Information (PROMIS)-29. Again, we present raw scores for each domain (range 4-20) followed by individual items. Family caregivers reported more current physical symptoms than non-caregivers. As with mental health, these effects may not be directly attributed to COVID-19 and may have existed prior to the pandemic. However, on average, caregivers scored higher than pre-pandemic population norms for all three physical symptoms, while noncaregivers scored higher than population norms for pain interference only. The following were observed:

Fatigue [during the past 7 days]

The overall mean PROMIS fatigue score was 10.2 for caregivers and 9.0 for noncaregivers ($p < 0.01$).

The following individual PROMIS fatigue items differed significantly:



Sleep Disturbance [in the past 7 days]

The overall mean PROMIS sleep disturbance score was 11.1 for caregivers and 10.4 for noncaregivers ($p < 0.01$).

The following individual PROMIS sleep disturbance items differed significantly:



Pain Interference [in the past 7 days]

The overall mean PROMIS pain interference score was 7.3 for caregivers and 6.7 for noncaregivers ($p < 0.01$).

The following individual PROMIS pain interference items differed significantly:



III. HOW IS COVID-19 AFFECTING FAMILY CAREGIVER DUTIES, RESPONSIBILITIES AND BURDEN?

The remainder of the report shifts focus to the 619 family caregivers. We report descriptive data on details of how the COVID-19 pandemic has affected caregivers, both in terms of caregiving responsibilities and the associated difficulties and burdens. If the caregiver noted a specific impact or change, they were asked to provide more details in open text fields. The previous section showed consistently more negative impacts for family caregivers compared to noncaregivers. This section provides more focused data on exactly how and why this may be the

"Her sons are unable to help even a little bit, so it all falls on me. They used to take her shopping and visit occasionally, but don't now because of the virus. This stresses her out, so her dementia gets worse, making it even harder for me."

Social distancing/quarantining/isolation

"Because her brother-in-law and I have not been visiting her, she calls me constantly wanting to know what I am doing. This social distancing has affected her greatly."

Vigilance/precautions against Coronavirus

"I have to thoroughly sanitize everything coming into our home as well as myself, since my husband has a severely compromised immune system, is at high risk for every virus, and gets and stays sicker than everyone else. Even small cuts take 60 or more days to close with proper daily wound care."

Mental health issues

"I provide more one-on-one care. I do the schooling and more intense therapy with her mental health issues. We are always busy to avoid melt down and keeping sugars down."

CAREGIVER BURDEN AND DIFFICULTIES

22% of family caregivers reported that COVID-19 has made providing care mu3q801 0 TE90 0 BDC srdT5 9C /Span

"He is afraid to go to the doctor's office for fear of being exposed to the virus. So, he has cancelled cancer treatment."

"I tried to change one of (my son's) appointments with a dermatologist to a telemedicine appointment, but he refused, and it was cancelled. His illness makes it hard to predict how he will react to changes in plans. I have to be very flexible."

"Yes, my mother was scheduled for a back-injection procedure in late March to help with pain and mobility and it was cancelled, which has contributed to her physical decline."

Alternate methods: Video or phone chats with doctor

"We (went to) video appointments for most of the doctors. It's hard to teach a 65 year-old who is not comfortable with technology."

"With the availability of teleconferencing, we have cancelled in-person appointments and elected to go with these, but they are not as in depth as in- person."

"All mental health has been moved to telehealth, and group therapy was suspended. Something that helped his mental health was being around other veterans. Now it is non-existent."

"My ill daughter will not do teleconference therapist appointments, which makes tension and confrontation at home unbearable."

21% of family caregivers reported that the pandemic was interfering with their OWN health care:

Access to health care services

"I know I'm not taking care of myself; I know I need to go to the doctor, see a dentist, but I can't do that right now."

"I was afraid do go out to the doctor for the joint injections to help with arthritis pain for fear of bring home the virus to my husband and sister. Also, myself as I am the only caregiver—we have no other family to help."

"I can't see my counselor anymore. I can't do telehealth, although it was offered, because I don't have the privacy in my house to do it that way."

"I can't go to my appointments without having to take her, so I just cancel them."

Increased mental health issues

"My anxiety is through the roof. I take legal cannabis for anxiety (vaped) and have discontinued is because I don't want anything in my lungs. Dispensaries are not offering curb side pickup and I won't go inside."

"Concerns about him weigh heavily on me. I have fibromyalgia, and the stress is bad for me."

"No exercise, weight gain, anxiety."

17% reported that the COVID-19 pandemic has _____ over caring for care recipient:

Lifestyle adjustments

"It is sometimes difficult scheduling personal care needs/requirements during the day as both caregivers and both. (There are 2 individuals who need care—both have the same diagnosis of SMA.) Care recipients are working from home and there are timing conflicts."

"The constant daily confrontations with our mentally ill daughter is taking a toll on all of our physical and mental health."

Mental health issues

"Tensions are greater between my husband and I due to care recipient's attitudes/ behaviors."

"There is lots of unpleasant tension between me and my mom, who is very intelligent but struggles so much with controlling her emotions and has been so out of control lately, so she knows things are going wrong, but continues to blame my brother and I without trying to change her own behavior or take suggestions. My brother is only 12 (also autistic) and is very hurt by the things she says, and very confused about why she acts so irrationally."

Vigilance/precautions against Coronavirus

"My parent refuses to not see friends, won't wear a mask when in public places. Won't listen to me about these things."

"My parents were very reluctant to let me take on extra responsibilities. They also still regularly make trips outside for things that are not needed."

43% reported that the pandemic led to increased worry, fear, depression, sleep problems or other declines in care recipient's mental health:

Cognitive issues

"My mom doesn't understand why I don't go over every day. I explain, she understands, then she forgets again."

"There is increased delusional thinking. More argumentative."

Lifestyle adjustments

"Our son does not understand why he can't go to work, why he can't visit others and why they can't visit us. His world, like that of many others, has been turned topsy-turvy. He is sleeping fne because he's a great sleeper, but he misses the normal activities of his daily life."

Mental health/depression

"The little socialization he got before the pandemic is now gone, so he's a bit more depressed."

"She has become sad and somewhat fearful, wondering 'why no one likes her anymore'."

"She is too afraid to leave her house. All the things she was dr M ✕ E

IV. WHICH FAMILY CAREGIVERS ARE AT GREATEST RISK FOR NEGATIVE IMPACTS OF COVID-19?

This section summarizes subgroups of family caregivers who report signi fcantly higher levels of

In the chord diagram, follow the colored bands from each type of caregiver listed in the bottom half of the figure, to see the challenges they were most at risk to experience in the upper half of

V. CONCLUSIONS AND IMPLICATIONS

This study highlights the negative impacts of the COVID-19 pandemic on family caregivers. Under ordinary circumstances, caregiving is an intense, complex and potentially stressful undertaking. Our work shows that the pandemic has made an already challenging situation even more so. Family caregivers in this study reported consistently more negative impacts of COVID-19 compared to those not providing care. These di f erences cut across many survey domains and were particularly striking in terms of f nancial strains and mental health impacts. We also found increases in caregiving duties and responsibilities, and that the pandemic has added to the perceived burdens and di f culties associated with care provision. Certain subgroups of family caregivers were at higher risk for negative impacts, including females, minorities, less educated, low income, and those who live with the care recipient. While these f ndings mirror the broader

V V P U

4200 Fifth Avenue